

PRODUCT DESCRIPTION

TOTACHI® Foam Catalytic Converter Cleaner is a highly effective foam cleaner for catalytic converters. It dissolves, unclogs and removes the carbon build-up, sulfur and phosphorus in the catalytic converters. Restores the efficiency of the catalytic converter to reduce the vehicle's exhaust emissions and reduce harmful gas emissions. It eliminates power loss for an optimum driving performance. Improves fuel economy, horsepower, acceleration and reduces harmful emissions. Regular use of the product prevents complete failure of the converter and prevents costly maintenance.

TOTACHI® Foam Catalytic Converter Cleaner restores the functionality of the converter ensuring compliance to the regulatory requirements and emission inspections. It provides noticeable improvements in vehicle performance, restores the responsiveness of vehicle's throttle and improves the overall drivability. High efficiency, low product consumption, thanks to economical spray dispensers, will allow you to save on service station costs.

APPLICATION

Recommended for use in automotive repair shops. It can be used as a DIY catalytic converter cleaner. It is a professional product that works with turbo, direct injection, and hybrid engine vehicles. Developed with strict adherence to the highest standards of quality and safety.

Shake the can before use. Dismantle the oxygen sensor. Check the catalytic converter using a scope camera to see if there are cracks. If there are no cracks, proceed with the cleaning process.

Insert the probe through the opening. Spray the cleaner with the probe inserted into the hole in 5-second intervals until the unit is filled with foam. Assemble back the O2 sensor. Close the opening after application. Start the engine.

WARRANTY

TOTACHI® Foam Catalytic Converter Cleaner meets or exceeds industry requirements. TOTACHI® guarantees full compliance with the written specifications indicated on product labels.

CUSTOMER BENEFITS

- **Enhance Engine Durability**
Effective dissolving of carbon build-up and deposits in the catalytic converter and fuel system which reduce the strain on the engine, leading to longer engine life.
- **Restores Engine Performance**
Decarbonizes the catalytic converter to boost power, acceleration and to restore throttle response, improving the overall drivability and maximizing the engine performance.
- **Reduces Emissions**
Clears the carbon deposits in the catalytic converter to increase its ability to convert harmful pollutants such as CO, Nox and hydrocarbons into less harmful substances, thus reducing the harmful emissions.
- **Avoids High Maintenance Costs**
Ensures proper exhaust flow, preventing the possible damage of oxygen sensors and a complete failure of the converter.

Before using this product, ensure it is consistent with OEM's recommendations for the equipment operating conditions and customer's maintenance practices.

TYPICAL TEST DATA

CHARACTERISTICS	UNITS	VALUES
Appearance	-	Foam
Color	-	Light amber
Relative Density	kg/L	0.785
Solubility	-	Soluble in water
Flash Point	-	Aerosol, contents under pressure, consult MSDS

STORAGE AND HANDLING GUIDELINES

- Avoid exposing products to direct sunlight.
- Store in cool and dry places. Avoid exposing products to moisture.
- It is highly recommended to store drums indoors or under cover on pallets and racks.

HEALTH, SAFETY & ENVIRONMENT PROTECTION

Information on health, safety and environment protection is described in the product Safety Data Sheet (SDS). The SDS file contains details on potential hazards, precautions and first aid measures, as well as information on environmental impact and disposal of used products.

TOTACHI INDUSTRIAL CO. LTD. disclaims any liability in case the product is used with violation of these instructions and warnings, or it is not used for its intended purpose. Before using product other than intended, consult your local TOTACHI® distributor.