

DENTO ATF

Multi-Vehicle HV



PRODUCT DESCRIPTION

DENTO ATF Multi-Vehicle HV is a 100% synthetic multipurpose ATF fluid, specially designed for hydro-mechanic automatic transmissions of many OEMs with revised requirements of GM DEXRON®-III (H) or Ford MERCON® specifications. The product's formulation contains highly refined synthetic base stocks with high viscosity index, which, in combination with additive package, provides protection against wear and optimal friction performance for smooth gear shifts.

Increased stability to physical deterioration and outstanding stability to oxidation allow the retention of initial performance in extended service intervals.

APPLICATION

- The product is designed for many types of hydraulic automatic transmissions by General Motors, Ford Motor Company and many other OEMs before 2006, which require the use of ATFs with General Motors DEXRON-III, Ford MERCON or with previous specifications, such as DEXRON II.
- DENTO ATF Multi-Vehicle HV may be applied in hydraulic drives and power steering systems.

CUSTOMER BENEFITS

- Due to its multipurpose characteristics, DENTO ATF Multi-Vehicle HV provides smooth and noiseless

gear shifts of many OEMs' four and five speed automatic transmissions.

- The additive combination allows minimizing wear and provides the required friction rate for transferring high torque. The guarantees sufficient anti-wear and antifoaming performance of transmission fluid.
- The retention of low temperature flow rate and oil film strength in high operating temperatures extends transmission system service life.
- DENTO ATF Multi-Vehicle HV maintains system cleanliness, it effectively protects against varnish, soot and low temperature deposits, as well as it provides outstanding protection of oil coolers of automatic transmissions.

MEETS SPECIFICATIONS AND REQUIREMENTS OF:

- General Motors **DEXRON® - III (H)** spec. ¹
- Ford **MERCON®** ²
- See additional Table.

¹For General Motors transmissions of 2006 and later a DEXRON®-VI type ATF is typically required.

² For Ford transmissions after 1996 a MERCON® V type ATF may be required.

Before using this product, ensure it is consistent with OEM's recommendations for the equipment operating conditions and customer's maintenance practices.

TYPICAL TEST DATA

CHARACTERISTICS	UNITS	VALUES	ASTM
Kinematic viscosity at: 40 °C 100 °C	cSt cSt	37.76 7.00	ASTM 445 ASTM 445
Flash point	°C	230	ASTM D92
Pour point	°C	-42	ASTM D97
Density at 30 °C	Kg/l	0.8430	ASTM D4052
Viscosity index		150	ASTM D2270
Color		Light Red	ASTM D1500

DENTO ATF MULTI-VEHICLE HV — *continued*

MEETS SPECIFICATIONS AND REQUIREMENTS OF (additional Table):

Acura	ATF-II		Chevrolet	DEXRON II	90350342
Acura	ATF-Z1	CA66689	Chevrolet	DEXRON II	90350343
Acura	ATF-Z1	08200-9001A	Chevrolet	DEXRON II	96117269
Acura	ATF-Z1	08200-9005A	Chevrolet	DEXRON IIB	
Acura	ATF-Z1	08206-9001	Chevrolet	DEXRON IIC	
Acura	ATF-Z1 Ultra	08266-99901	Chevrolet	DEXRON IID	1051855
Acura	ATF-Z1 Ultra	08266-99904	Chevrolet	DEXRON IID	1051856
Acura	ATF-Z1 Ultra	08266-99907	Chevrolet	DEXRON IID	1051857
Acura	ATF-Z1		Chevrolet	DEXRON IID	12345006
Aisin Warner	JWS-3309		Chevrolet	DEXRON IID	93740316
Aisin Warner	JWS-3314		Chevrolet	DEXRON IIE	12345881
Aisin Warner	JWS-3317		Chevrolet	DEXRON III	90160372
Allison	C-3		Chevrolet	DEXRON III	90510269
Allison	C-4		Chevrolet	DEXRON III	93743381
AM General	See GM		Chevrolet	DEXRON IIIF	
Audi	JWS-3309	G-052-025-A1	Chevrolet	DEXRON IIIG	
Audi	JWS-3309	G-052-025-A2	Chevrolet	DEXRON IIIG	93740313
Audi	JWS-3309	G-052-025-A6	Chevrolet	DEXRON IIIG	93740314
Audi	JWS-3309	G-055-025-A1	Chevrolet	DEXRON IIHH	10952622
Audi	JWS-3309	G-055-025-A2	Chevrolet	DEXRON IIHH	10952623
Audi	JWS-3309	G-055-025-A6	Chevrolet	DEXRON IIHH	10952624
Audi	LT 71141	G-052-162-A1	Chevrolet	DEXRON IIHH	12346143
Audi	LT 71141	G-052-162-A2	Chevrolet	DEXRON IIHH	12346144
Audi	LT 71141	G-052-162-A6	Chevrolet	DEXRON IIHH	12346145
Audi	N402	G-052-990-A1	Chevrolet	DEXRON IIHH	12378470
Audi	N402	G-052-990-A2	Chevrolet	JWS-3309	9986195
Audi	N402	G-052-990-A6	Chevrolet	JWS-3314	93742563
BMW	ATF 33	83 22 0 403 580	Chevrolet	LT 71141	89021903
BMW	ATF 33	83 22 0 406 574	Chevrolet	T-IV	22689186
BMW	DEXRON II	81 22 9 400 272	Chevrolet	T-IV	22717466
BMW	DEXRON II	81 22 9 400 275	Chevrolet	T-IV	88900925
BMW	DEXRON III	83 22 9 407 858	Chevrolet	TES-295 ATF	12378515
BMW	DEXRON III	83 22 9 407 859	Chevrolet	TES-295 ATF	88900701
BMW	DEXRON III	83 22 9 407 860	Chevrolet	ZF 4HP14	93740403
BMW	ETL-8072B	83 22 0 024 359	Chevrolet	ZF 4HP16	93740132
BMW	ETL-8072B	83 22 0 403 249	Chrysler	AS68RC ATF	05189966AA
BMW	ETL-8072B	83 22 0 403 675	Chrysler	AS68RC ATF	05189966AB
BMW	ETL-7045E	83 22 0 026 922	Chrysler	AS68RC ATF	05189977AA
BMW	ETL-7045E	83 22 0 403 248	Chrysler	AS68RC ATF	05189977AB
BMW	ETL-7045E	83 22 0 403 674	Chrysler	ATF +	4467721
BMW	JWS-3309	83 22 0 402 413	Chrysler	ATF +2	
BMW	JWS-3309	83 22 7 542 290	Chrysler	ATF +3	05010124AA
BMW	LA 2634	83 22 9 401 719	Chrysler	ATF +3	05010125AA
BMW	LA 2634	83 22 9 407 765	Chrysler	ATF +3	05010124AC
BMW	LT 71141	83 22 9 404 328	Chrysler	ATF +4	0VU02152
BMW	LT 71141	83 22 9 407 807	Chrysler	ATF +4	0VU02153AC
Buick	See GM		Chrysler	ATF +4	05013457AA
Cadillac	See GM		Chrysler	ATF +4	05013458AA
Chevrolet	ATF-Z1	22717466	Chrysler	ATF +4	05013527EA
Chevrolet	ATF-3309	93160393	Chrysler	ATF +4	05013531EA
Acura	ATF-II		Chevrolet	DEXRON II	90350342
Acura	ATF-Z1	CA66689	Chevrolet	DEXRON II	90350343
Acura	ATF-Z1	08200-9001A	Chevrolet	DEXRON II	96117269
Acura	ATF-Z1	08200-9005A	Chevrolet	DEXRON IIB	
Acura	ATF-Z1	08206-9001	Chevrolet	DEXRON IIC	
Acura	ATF-Z1 Ultra	08266-99901	Chevrolet	DEXRON IID	1051855

DENTO ATF MULTI-VEHICLE HV — *continued*

MEETS SPECIFICATIONS AND REQUIREMENTS OF (additional Table - continued):

Chrysler	ATF SP III	ACH1ZC1X05	Dodge	MS-7176D	ATF +2
Chrysler	ATF 3403-M115	05127382AA	Dodge	MS-7176E	ATF +3
Chrysler	DEXRON IIIH	4773590	Dodge	MS-9602	ATF +4
Chrysler	DEXRON IIIH	04773591AC	Dodge	NAG1	05013457AA
Chrysler	JWS-3309	AS68RC ATF	Dodge	NAG1	05013458AA
Chrysler	MB236.10	05127382AA	Dodge	NAG1	05127382AA
Chrysler	MS-7176	ATF +	Fiat	ATF +4	0VU02152
Chrysler	MS-7176D	ATF +2	Fiat	ATF +4	0VU02153AC
Chrysler	MS-7176E	ATF +3	Fiat	ATF +4	05013457AA
Chrysler	MS-9602	ATF +4	Fiat	ATF +4	05013458AA
Chrysler	NAG1	05013457AA	Fiat	ATF +4	05013527EA
Chrysler	NAG1	05013458AA	Fiat	ATF +4	05013531EA
Chrysler	NAG1	05127382AA	Fiat	JWS-3309 (T-IV)	
Daewoo	ATF-3309	93160393	Fiat	NWS-6500 (T-IV)	
Daewoo	DEXRON II	90350342	Ford	ESP-M2C138-CJ	
Daewoo	DEXRON II	90350343	Ford	ESP-M2C166-H	
Daewoo	DEXRON II	93740316	Ford	FNR5 / ATF M5	XT-9-QMM5
Daewoo	DEXRON II	96117269	Ford	MERCON	XT-2-DDX
Daewoo	DEXRON III	90160372	Ford	MERCON	XT-2-QDX
Daewoo	DEXRON III	90510269	Ford	MERCON	XT-2-QSM
Daewoo	DEXRON III	93740313	Ford	MERCON V	CXT-5-DBM
Daewoo	DEXRON III	93740314	Ford	MERCON V	CXT-5-DM
Daewoo	DEXRON III	93743381	Ford	MERCON V	CXT-5-LM12
Daewoo	JWS-3314	93742563	Ford	MERCON V	XT-5-DM
Daewoo	ZF 4HP14	93740403	Ford	MERCON V	XT-5-DMC
Daewoo	ZF 4HP16	93740132	Ford	MERCON V	XT-5-QM
Daewoo	LT 71141		Ford	MERCON V	XT-5-QMC
Daewoo	JWS-3309 (T-IV)		Ford	MERCON V	XT-5-QSM
Dodge	AS68RC ATF	05189966AA	Ford	WSS-M2C924-A	CXT-8-LAW12
Dodge	AS68RC ATF	05189966AB	Ford	WSS-M2C924-A	JWS-3309
Dodge	AS68RC ATF	05189977AA	Ford	WSS-M2C924-A	XT-8-QAW
Dodge	AS68RC ATF	05189977AB	General Motors	ATF-Z1	22717466
Dodge	ATF +	4467721	General Motors	ATF-3309	93160393
Dodge	ATF +2		General Motors	DEXRON II	90350342
Dodge	ATF +3	05010124AA	General Motors	DEXRON II	90350343
Dodge	ATF +3	05010125AA	General Motors	DEXRON II	96117269
Dodge	ATF +3	05010125AC	General Motors	DEXRON IIB	
Dodge	ATF +4	0VU02152	General Motors	DEXRON IIC	
Dodge	ATF +4	0VU02153AC	General Motors	DEXRON IID	1051855
Dodge	ATF +4	05013457AA	General Motors	DEXRON IID	1051856
Dodge	ATF +4	05013458AA	General Motors	DEXRON IID	1051857
Dodge	ATF +4	05013527EA	General Motors	DEXRON IID	12345006
Dodge	ATF +4	05013531EA	General Motors	DEXRON IID	93740316
Dodge	ATF SP III	ACH1ZC1X05	General Motors	DEXRON IID	12345881
Dodge	ATF 3403-M115	05127382AA	General Motors	DEXRON IIE	12345881
Dodge	DEXRON IIIH	4773590	General Motors	DEXRON III	90160372
Dodge	DEXRON IIIH	04773591AC	General Motors	DEXRON III	90510269
Dodge	JWS-3309	AS68RC ATF	General Motors	DEXRON III	93743381
Dodge	MB236.10	05127382AA	General Motors	DEXRON IIIF	
Dodge	MS-7176	ATF +	General Motors	DEXRON IIIG	
Chrysler	ATF SP III	ACH1ZC1X05	General Motors	DEXRON IIIG	93740313
Chrysler	ATF 3403-M115	05127382AA	Dodge	MS-7176D	ATF +2
Chrysler	DEXRON IIIH	4773590	Dodge	MS-7176E	ATF +3
Chrysler	DEXRON IIIH	04773591AC	Dodge	MS-9602	ATF +4
Chrysler	JWS-3309	AS68RC ATF	Dodge	NAG1	05013457AA
Chrysler	MB236.10	05127382AA	Dodge	NAG1	05013458AA
Chrysler			Dodge	NAG1	05127382AA

DENTO ATF MULTI-VEHICLE HV — *continued*

MEETS SPECIFICATIONS AND REQUIREMENTS OF (additional Table - continued):

General Motors	DEXRON III G	93740314	Hyundai	ATF SP-III	45000-34B02
General Motors	DEXRON III H	10952622	Hyundai	ATF T4	04500-00170
General Motors	DEXRON III H	10952623	Hyundai	ATF 3	04500-00121
General Motors	DEXRON III H	10952624	Hyundai	JWS-3309 T4	00230-12000
General Motors	DEXRON III H	12346143	Hyundai	JWS-3309 T4	00232-19023
General Motors	DEXRON III H	12346144	Infiniti	ATF N402	
General Motors	DEXRON III H	12346145	Infiniti	ATF 3309 GSP	KE908-99232
General Motors	DEXRON III H	12378470	Infiniti	Matic-D	KE908-99931R
General Motors	JWS-3309	9986195	Infiniti	Matic-D	KLE22-00002
General Motors	JWS-3314	93742563	Infiniti	Matic-D	KLE22-00004
General Motors	LT 71141	89021903	Infiniti	Matic-D	999MP-AA100P
General Motors	T-IV	22689186	Infiniti	Matic-J	KE908-99932R
General Motors	T-IV	22717466	Infiniti	Matic-J	KLE23-00002
General Motors	T-IV	88900925	Infiniti	Matic-J	999MP-MTJ00P
General Motors	T/ T-III		Infiniti	Matic-K	999MP-MTK00P
General Motors	T-IV		Isuzu	Genuine ATF	
General Motors	ZF 4HP14	93740403	Isuzu	See GM	
General Motors	ZF 4HP16	93740132	Jaguar	DEXRON III	JLM 21703
GEO	See: General Motors		Jaguar	D21065	JLM 20937
GMC	See: General Motors		Jaguar	Idemitsu K17	C2S 12120
Honda	ATF-II		Jaguar	JWS-3309	C2S 51628
Honda	ATF-Z1	CA66689	Jaguar	LA 3403-M115	JLM 20292
Honda	ATF-Z1	08200-9001	Jaguar	LT 71141	JLM 20237
Honda	ATF-Z1	08200-9005	Jaguar	LT 71141	JLM 20238
Honda	ATF-Z1	08206-9001	Jaguar	MERCON V	JLM 21044
Honda	ATF-Z1 Ultra	08266-99901	Jeep	AS68RC ATF	05189966AA
Honda	ATF-Z1 Ultra	08266-99904	Jeep	AS68RC ATF	05189966AB
Honda	ATF-Z1 Ultra	08266-99907	Jeep	AS68RC ATF	05189977AA
Hyundai	ATF +	00212-11100	Jeep	AS68RC ATF	05189977AB
Hyundai	ATF +		Jeep	ATF +	4467721
Hyundai	ATF +3		Jeep	ATF +2	
Hyundai	ATF +4		Jeep	ATF +3	05010124AA
Hyundai	ATF D-3	04500-00150	Jeep	ATF +3	05010125AA
Hyundai	ATF MX4	04500-00130	Jeep	ATF +3	05010125AC
Hyundai	ATF Matic J	04500-00140	Jeep	ATF +4	0VU02152
Hyundai	ATF RED-1K	00232-19024	Jeep	ATF +4	0VU02153AC
Hyundai	ATF SP	45000-34A10	Jeep	ATF +4	05013457AA
Hyundai	ATF SP-II	00230-18000	Jeep	ATF +4	05013458AA
Hyundai	ATF SP-II	45000-34A20	Jeep	ATF +4	05013527EA
Hyundai	ATF SP-II	45000-34A21	Jeep	ATF +4	05013531EA
Hyundai	ATF SP-II	45000-34B00	Jeep	ATF SP III	ACH12C1X05
Hyundai	ATF SP-II	45000-34B01	Jeep	ATF 3403-M115	05127382AA
Hyundai	ATF SP-III	00230-11000	Jeep	DEXRON III H	4773590
Hyundai	ATF SP-III	00230-11500	Jeep	DEXRON III H	04773591AC
Hyundai	ATF SP-III	00232-19011	Jeep	JWS-3309	AS68RC ATF
Hyundai	ATF SP-III	00232-19012	Jeep	MB236.10	05127382AA
Hyundai	ATF SP-III	04500-00100	Jeep	MS-7176	ATF +
Hyundai	ATF SP-III	04500-00400	Jeep	MS-7176D	ATF +2
Hyundai	ATF SP-III	04500-00A00	Jeep	MS-7176E	ATF +3
Hyundai	ATF SP-III	45000-34A22	Jeep	MS-9602	ATF +4
General Motors	DEXRON III G	93740314	Hyundai	ATF SP-III	45000-34B02
General Motors	DEXRON III H	10952622	Hyundai	ATF T4	04500-00170
General Motors	DEXRON III H	10952623	Hyundai	ATF 3	04500-00121
General Motors	DEXRON III H	10952624	Hyundai	JWS-3309 T4	00230-12000
General Motors	DEXRON III H	12346143	Hyundai	JWS-3309 T4	00232-19023
General Motors	DEXRON III H	12346144	Infiniti	ATF N402	

DENTO ATF MULTI-VEHICLE HV — *continued*

MEETS SPECIFICATIONS AND REQUIREMENTS OF (additional Table - continued):

Jeep	NAG1	05013457AA	Lexus	ATF Type T-4	08886-01705
Jeep	NAG1	05013458AA	Lexus	ATF Type T-IV	00279-000T4
Jeep	NAG1	05127382AA	Lexus	ATF Type T-IV	00279-DRMT4
Kia	ATF 3	04500-00121	Lexus	ATF Type T-IV	08886-81013
Kia	ATF +		Lexus	ATF Type T-IV	08886-81015
Kia	ATF +3		Lexus	ATF Type T-IV	08886-81016
Kia	ATF +4		Lexus	ATF Type T-IV	08886-82025
Kia	ATF D-3	04500-00150	Lexus	DEXRON III®	00718-ATF00
Kia	ATF MX4	04500-00130	Lexus	T-IV (JWS-3309)	
Kia	ATF Matic J	04500-00140	Lexus	T-IV (NWS-6500)	
Kia	ATF RED-1	UM040-CH020	Lincoln	ESP-M2C138-CJ	
Kia	ATF RED-1K	00232-19024	Lincoln	ESP-M2C166-H	
Kia	ATF SP	45000-34A10	Lincoln	FNR5 / ATF M5	XT-9-QMM5
Kia	ATF SP-II	00230-18000	Lincoln	MERCON	XT-2-DDX
Kia	ATF SP-II	45000-34A20	Lincoln	MERCON	XT-2-QDX
Kia	ATF SP-II	45000-34A21	Lincoln	MERCON	XT-2-QSM
Kia	ATF SP-II	45000-34B00	Lincoln	MERCON V	CXT-5-DBM
Kia	ATF SP-II	45000-34B01	Lincoln	MERCON V	CXT-5-DM
Kia	ATF SP III	UM010-CH002	Lincoln	MERCON V	CXT-5-LM12
Kia	ATF SP-III	00230-11000	Lincoln	MERCON V	XT-5-DM
Kia	ATF SP-III	00230-11500	Lincoln	MERCON V	XT-5-DMC
Kia	ATF SP-III	00232-19011	Lincoln	MERCON V	XT-5-QM
Kia	ATF SP-III	00232-19012	Lincoln	MERCON V	XT-5-QMC
Kia	ATF SP-III	04500-00A00	Lincoln	MERCON V	XT-5-QSM
Kia	ATF SP-III	04500-00100	Lincoln	WSS-M2C924-A	CXT-8-LAW12
Kia	ATF SP-III	04500-00400	Lincoln	WSS-M2C924-A	JWS-3309
Kia	ATF SP-III	45000-34A22	Lincoln	WSS-M2C924-A	XT-8-QAW
Kia	ATF SP-III	45000-34B02	Mazda	ATF D-II	DEXRON II
Kia	ATF T4	04500-00170	Mazda	ATF D-III	DEXRON III
Kia	JWS-3309 T4	00230-12000	Mazda	ATF F-1	K020-W0-046M
Kia	JWS-3309 T4	00232-19023	Mazda	ATF JWS-3309	
Kia	JWS-3314	04500-00130	Mazda	ATF JWS-3317	K020-W0-049E
Land Rover	ATF 402	STC 50531	Mazda	ATF MIII Type M3	K004-W0-046E
Land Rover	DEXRON II	STC 8261	Mazda	ATF MIII Type M3	K020-W0-046S
Land Rover	ETL-7045E	STC 4862	Mazda	ATF MIII Type M3	0000-77-110E-01
Land Rover	JWS-3309	LR002748	Mazda	ATF MV Type M5	K020-W0-047E
Land Rover	LT 71141	STC 4863	Mazda	ATF MV Type M5	MES MN 117C
Land Rover	N402	LRN402	Mazda	ATF MV Type M5	0000-77-112E-01
Land Rover	N402	STC 53015	Mazda	ATF T-IV	0000-77-114E-01
Land Rover	N402	STC 53016	Mazda	MERCON V	0000-77-120E-05
Land Rover	N402	STC 53046	Mazda	MERCON V ATF	
Lexus	Auto Fluid D-II	08886-00305	Mercedes	LA 3403-M115	001 989 21 03 10
Lexus	Auto Fluid D-II	08886-00306	Mercedes	LT 71141	001 989 22 03 10
Lexus	Auto Fluid D-II	08886-81003	Mercedes	NAG1 (722.6)	001 989 21 03 10
Lexus	Auto Fluid D-II	08886-81005	Mercedes	236.1	
Lexus	Auto Fluid D-II	08886-81006	Mercedes	236.2	001 989 26 03 10
Lexus	Auto Fluid D-III	08886-01605	Mercedes	236.3	
Lexus	Auto Fluid D-III	08886-80506	Mercedes	236.5	
Lexus	Auto Fluid D-III	08886-81111	Mercedes	236.6	001 989 92 03 10
Lexus	ATF Type T-4	08886-01703	Mercedes	236.7	
Jeep	NAG1	05013457AA	Lexus	ATF Type T-4	08886-01705
Jeep	NAG1	05013458AA	Lexus	ATF Type T-IV	00279-000T4
Jeep	NAG1	05127382AA	Lexus	ATF Type T-IV	00279-DRMT4
Kia	ATF 3	04500-00121	Lexus	ATF Type T-IV	08886-81013
Kia	ATF +		Lexus	ATF Type T-IV	08886-81015
Kia	ATF +3		Lexus	ATF Type T-IV	08886-81016

DENTO ATF MULTI-VEHICLE HV — *continued*

MEETS SPECIFICATIONS AND REQUIREMENTS OF (additional Table - continued):

Mercedes	236.9		Pontiac	See GM	
Mercedes	236.10 (722.7)	001 989 21 03 10	Porsche	JWS-3309	000 043 205 28
Mercedes	236.11	001 989 22 03 10	Porsche	LA 3403-M115	000 043 204 41
Mercedes	236.81		Porsche	LA 3403-M115	000 043 304 00
Mercury	ESP-M2C138-CJ		Porsche	LT 71141	000 043 205 09
Mercury	ESP-M2C138-CJ		Porsche	LT 71141	999 917 547 00
Mercury	ESP-M2C166-H		Renault	DEXRON IID	77 01 402 037
Mercury	FNR5 / ATF M5	XT-9-QMM5	Renault	DEXRON III	
Mercury	MERCON	XT-2-DDX	Renault	LT 71141	77 11 172 226
Mercury	MERCON	XT-2-QDX	SAAB	ATF 3309 (JWS-3309)	
Mercury	MERCON	XT-2-QSM	SAAB	See GM	
Mercury	MERCON V	CXT-5-DBM	Saturn	See GM	
Mercury	MERCON V	CXT-5-DM	Scion	ATF Type T-4	08886-01703
Mercury	MERCON V	CXT-5-LM12	Scion	ATF Type T-4	08886-01705
Mercury	MERCON V	XT-5-DM	Scion	ATF Type T-IV	00279-000T4
Mercury	MERCON V	XT-5-DMC	Scion	ATF Type T-IV	00279-DRMT4
Mercury	MERCON V	XT-5-QM	Scion	ATF Type T-IV	08886-81013
Mercury	MERCON V	XT-5-QMC	Scion	ATF Type T-IV	08886-81015
Mercury	MERCON V	XT-5-QSM	Scion	ATF Type T-IV	08886-81016
Mercury	WSS-M2C924-A	CXT-8-LAW12	Scion	ATF Type T-IV	08886-82025
Mercury	WSS-M2C924-A	JWS-3309	Scion	T-IV (JWS-3309)	
Mercury	WSS-M2C924-A	XT-8-QAW	Scion	T-IV (NWS-6500)	
MINI	JWS-3309	83 22 0 402 413	Smart	235.71 (D21065)	
MINI	JWS-3309	83 22 7 542 290	Subaru	ATF	SOA868V9240
Mitsubishi	ATF +4	05013457AA	Subaru	ATF-HP	SOA868V9241
Mitsubishi	Dia ATF SP-II		Subaru	ATF-3309 (JWS-3309)	
Mitsubishi	Dia ATF SP-II M		Subaru	ATF-3317 (JWS-3317)	
Mitsubishi	Dia ATF SP-III	ACH1ZC1X05	Subaru	Idemitsu ATF HP	
Mitsubishi	DQ ATF-II	4021401	Subaru	Idemitsu ATF K17	
Mitsubishi	DQ ATF-II	4021610	Subaru	T-IV (JWS-3309)	
Mitsubishi	DQ ATF J2	MZ313771	Subaru	T-IV (NWS-6500)	
Mitsubishi	DQ ATF J2	4040610	Subaru	4AT	K0415-YA100
Mitsubishi	DQ ATF SK	4028401	Subaru	4AT	K0425-YA100
Mitsubishi	DQ ATF SP-II	MZ320035	Subaru	5AT	K0415-Y0700
Mitsubishi	DQ ATF SP-III	4024227	Subaru	5AT	K0425-YA700
Mitsubishi	DQ ATF SP-III	4024401	Suzuki	ATF-3309	
Mitsubishi	DQ ATF SP-III	4024610	Suzuki	ATF-3314	
Mitsubishi	JWS-3309	M2312096S1	Suzuki	ATF-3317	
Mitsubishi	MS-9602	05013457AA	Suzuki	AT-Oil	
Nissan	ATF N402		Suzuki	AT-Oil 2326	
Nissan	ATF 3309 GSP	KE908-99232	Suzuki	AT-Oil 2384K	
Nissan	Matic-D	KE908-99931	Suzuki	AT-Oil 3317	
Nissan	Matic-D	KLE22-00002	Suzuki	AT Oil Special (5D06)	
Nissan	Matic-D	KLE22-00004	Suzuki	LT 71141	
Nissan	Matic-D	999MP-AA100P	Suzuki	T-IV (JWS-3309)	
Nissan	Matic-J	KE908-99932	Suzuki	T-IV (NWS-6500)	
Nissan	Matic-J	KLE23-00002	Toyota	Auto Fluid D-II	08886-00305
Nissan	Matic-J	999MP-MTJ00P	Toyota	Auto Fluid D-II	08886-00306
Nissan	Matic-K	999MP-MTK00P	Toyota	Auto Fluid D-II	08886-81003
Peugeot		Z 000169756	Toyota	Auto Fluid D-II	08886-81005
Mercedes	236.9		Pontiac	See GM	
Mercedes	236.10 (722.7)	001 989 21 03 10	Porsche	JWS-3309	000 043 205 28
Mercedes	236.11	001 989 22 03 10	Porsche	LA 3403-M115	000 043 204 41
Mercedes	236.81		Porsche	LA 3403-M115	000 043 304 00
Mercedes	236.11		Porsche	LT 71141	000 043 205 09
Mercury	ESP-M2C138-CJ		Porsche	LT 71141	999 917 547 00

DENTO ATF MULTI-VEHICLE HV — *continued*

MEETS SPECIFICATIONS AND REQUIREMENTS OF (additional Table - continued):

Renault	DEXRON IID	77 01 402 037	Toyota	Auto Fluid D-III	08886-01605
Renault	DEXRON III		Toyota	Auto Fluid D-III	08886-80506
Renault	LT 71141	77 11 172 226	Toyota	Auto Fluid D-III	08886-81111
SAAB	ATF 3309 (JWS-3309)		Toyota	ATF Type T	08886-00405
SAAB	See: General Motors		Toyota	ATF Type T-4	08886-01703
Saturn	See: General Motors		Toyota	ATF Type T-4	08886-01705
Scion	ATF Type T-4	08886-01703	Toyota	ATF Type T-IV	00279-000T4
Scion	ATF Type T-4	08886-01705	Toyota	ATF Type T-IV	00279-DRMT4
Scion	ATF Type T-IV	00279-000T4	Toyota	ATF Type T-IV	08886-81013
Scion	ATF Type T-IV	00279-DRMT4	Toyota	ATF Type T-IV	08886-81015
Scion	ATF Type T-IV	08886-81013	Toyota	ATF Type T-IV	08886-81016
Scion	ATF Type T-IV	08886-81015	Toyota	ATF Type T-IV	08886-82025
Scion	ATF Type T-IV	08886-81016	Toyota	DEXRON III®	00718-ATF00
Scion	ATF Type T-IV	08886-82025	Toyota	T-IV (JWS-3309)	
Scion	T-IV (JWS-3309)		Toyota	T-IV (NWS-6500)	
Scion	T-IV (NWS-6500)		Volkswagen	ATF +4 (MS-9602)	
Smart	235.71 (D21065)		Volkswagen	ATF +4	GUS-000-162
Subaru	ATF	SOA868V9240	Volkswagen	JWS-3309	G-052-025-A1
Subaru	ATF-HP	SOA868V9241	Volkswagen	JWS-3309	G-052-025-A2
Subaru	ATF-3309 (JWS-3309)		Volkswagen	JWS-3309	G-052-025-A6
Subaru	ATF-3317 (JWS-3317)		Volkswagen	JWS-3309	G-055-025-A1
Subaru	Idemitsu ATF HP		Volkswagen	JWS-3309	G-055-025-A2
Subaru	Idemitsu ATF K17		Volkswagen	JWS-3309	G-055-025-A6
Subaru	T-IV (JWS-3309)		Volkswagen	LT 71141	G-052-162-A1
Subaru	T-IV (NWS-6500)		Volkswagen	LT 71141	G-052-162-A2
Subaru	4AT	K0415-YA100	Volkswagen	LT 71141	G-052-162-A6
Subaru	4AT	K0425-YA100	Volkswagen	N402	G-052-990-A1
Subaru	5AT	K0415-Y0700	Volkswagen	N402	G-052-990-A2
Subaru	5AT	K0425-YA700	Volkswagen	N402	G-052-990-A6
Suzuki	ATF-3309		Volvo		97340
Suzuki	ATF-3314		Volvo	Allison C4	97341
Suzuki	ATF-3317		Volvo	Dexron III	1161521
Suzuki	AT-Oil		Volvo	Dexron III	1161621
Suzuki	AT-Oil 2326		Volvo	JWS-3309	1161540
Suzuki	AT-Oil 2384K		Volvo	JWS-3309	1161640
Suzuki	AT-Oil 3317		Toyota	Auto Fluid D-II	08886-81006
Suzuki	AT Oil Special (5D06)		Toyota	Auto Fluid D-III	08886-01605
Suzuki	LT 71141		Toyota	Auto Fluid D-III	08886-80506
Suzuki	T-IV (JWS-3309)		Toyota	Auto Fluid D-III	08886-81111
Suzuki	T-IV (NWS-6500)		Toyota	ATF Type T	08886-00405
Toyota	Auto Fluid D-II	08886-00305	Toyota	ATF Type T-4	08886-01703
Toyota	Auto Fluid D-II	08886-00306	Toyota	ATF Type T-4	08886-01705
Toyota	Auto Fluid D-II	08886-81003	Toyota	ATF Type T-IV	00279-000T4
Toyota	Auto Fluid D-II	08886-81005	Toyota	ATF Type T-IV	00279-DRMT4
Renault	DEXRON IID	77 01 402 037	Toyota	ATF Type T-IV	08886-81013
Renault	DEXRON III		Toyota	ATF Type T-IV	08886-81015
Renault	LT 71141	77 11 172 226	Toyota	ATF Type T-IV	08886-81016
SAAB	ATF 3309 (JWS-3309)		Toyota	ATF Type T-IV	08886-82025
SAAB	See: General Motors		Toyota	DEXRON III®	00718-ATF00
Saturn	See: General Motors		Toyota	T-IV (JWS-3309)	
Scion	ATF Type T-4	08886-01703	Toyota	T-IV (NWS-6500)	
Scion	ATF Type T-4	08886-01705	Volkswagen	ATF +4 (MS-9602)	
Scion	ATF Type T-IV	00279-000T4	Volkswagen	ATF +4	GUS-000-162
Scion	ATF Type T-IV	00279-DRMT4	Volkswagen	JWS-3309	G-052-025-A1
Scion	ATF Type T-IV	08886-81013	Volkswagen	JWS-3309	G-052-025-A2
Scion	ATF Type T-IV	08886-81015	Volvo	Dexron III	1161521
Scion	ATF Type T-IV	08886-81016	Volvo	Allison C4	97341
Toyota	Auto Fluid D-II	08886-81006			

STORAGE AND HANDLING GUIDELINES

- Avoid exposing products to direct sunlight.
- Cans, packed in cardboard boxes, must be stored in dry places. Avoid exposing products to moisture.
- It is highly recommended to store drums indoors on pallets and racks.
- If stored outdoors drums should be placed sidewise to avoid accumulation of moisture.

HEALTH, SAFETY AND ENVIRONMENT PROTECTION

Information on health, safety and environment protection is described in the product Safety Data Sheet (SDS). The SDS file contains details on potential hazards, precautions and first aid measures, as well as information on environmental impact and disposal of used products.

TOTACHI INDUSTRIAL CO. LTD. disclaims any liability in case the product is used with violation of these instructions and warnings or it is not used for its intended purpose. Before using product other than intended, consult your local TOTACHI® distributor.